


### **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings of claims in the application:

Claim 1 (Original): A laser gain medium comprising  
at least one active species adapted to be stimulated to emit laser light within a  
predetermined wavelength range,  
optical feedback means defining a resonator for said laser light, said feedback means  
comprising at least one substantially solid cholesteric layer having a substantially planar  
texture exhibiting selective reflection of light defined by a reflection band tuned to said  
predetermined wavelength range, said cholesteric layer being obtained from reactive  
cholesteric mixtures selected from mixtures comprising:


- a) at least one cholesteric, polymerizable monomer; or
- b) at least one achiral, nematic, polymerizable monomer and one chiral  
compound in an inert diluent; or
- c) at least one cholesteric, crosslinkable oligomer or polymer selected from the  
group comprising cholesteric cellulose derivatives, propargyl-terminated  
cholesteric polyesters or polycarbonates, crosslinkable oligo- or polyorgano-  
siloxanes; or
- d) crosslinkable cholesteric copolyisocyanates in a polymerizable diluent; or
- e) chiral nematic polyesters having flexible chains whose cholesteric phase can  
be frozen in by rapid cooling to below the glass transition temperature.

wherein said mixtures b) do not comprise mixtures of an achiral, nematic,  
polymerizable monomer having a mesogenic group comprising



and a chiral cholesterylcarbonate and a crosslinking agent;

wherein said monomer of mixture a) is a chiral, liquid-crystalline, polymerizable monomer of the formula I



where

Z<sup>1</sup> is a polymerizable group or a radical which carries a polymerizable group,

Y<sup>1</sup>, Y<sup>2</sup>, Y<sup>3</sup> independently are chemical bonds, oxygen, sulfur,

—CO—O—, —O—CO—, —O—CO—O—,

—CO—N(R)— or —N(R)—CO—,

A<sup>1</sup> is a spacer,

M<sup>1</sup> is a mesogenic group,

X is an n-valent chiral radical,

R is hydrogen or C<sub>1</sub>-C<sub>4</sub>-alkyl,


n is 1 to 6,

and Z<sup>1</sup>, Y<sup>1</sup>, Y<sup>2</sup>, Y<sup>3</sup>, A<sup>1</sup> and M<sup>1</sup> can be identical or different if n is greater than 1.

Claim 2 (Canceled):

Claim 3 (Original): The laser gain medium of claim 1, wherein said cholesteric mixture b) comprises

at least one achiral, nematic, polymerizable monomer of the formula II



where

$Z^2, Z^3$  are identical or different polymerizable groups or radicals which contain a polymerizable group,

$n$  is 0 or 1

$Y^4, Y^5, Y^6, Y^7$  independently are chemical bonds, oxygen, sulfur,


$—CO—O—, —O—CO—, —O—CO—O—,$

$—CO—N(R)—$  or  $—N(R)—CO—,$


$A^2, A^3$  are identical or different spacers and

$M^2$  is a mesogenic group,

and at least one chiral compound of formula Ia



or of formula Ib



where  $Z^1, Y^1, Y^2, Y^3, A^1, X$  and  $n$  are as defined in claim 2,  $M^a$  is a divalent radical which comprises at least one heterocyclic or isocyclic ring system, and  $X^2$  is a cholesteryl radical or a derivative thereof.

Claim 4 (Original): The laser gain medium of claim 1, wherein said cholesteric mixtures further comprise at least one crosslinking agent.

Claim 5 (Original): The laser gain medium of claim 1, wherein said cholesteric liquid crystal polymer is an elastomer.

Claim 6 (Original): The laser gain medium of claim 1, wherein at least one intermediate layer comprising said active species is disposed between adjacent layers of said cholesteric layers.

Claim 7 (Original): The laser gain medium of claim 1, wherein said active species is comprised in said cholesteric layer.

Claim 8 (Original): The laser gain medium of claim 7, wherein said active species is dissolved in said cholesteric layer.

Claim 9 (Original): The laser gain medium of claim 7, wherein said active species is bound to a compound of said cholesteric layer.

Claim 10 (Original): The laser gain medium of claim 1, wherein said active species is a conjugated polymer.

Claim 11 (Original): The laser gain medium of claim 1, wherein said active species is a laser dye.

**BASIS FOR THE AMENDMENT**

Claim 2 has been canceled. The limitations of Claim 2 have been included in Claim

1.

No new matter is believed to have been added by entry of this amendment. Entry and favorable reconsideration are respectfully requested.

Upon entry of this amendment Claims 1 and 3-11 will now be active in this application.